

► **FABRICIUS, J. C. 1775**

**Systema entomologiae, sistens insectorum
classes, ordines, genera, species, adiectis
synonymis, locis, descriptionibus,
observationibus.**

**pp. [1-31], 832 pp. Flensburgi, Lipsiae.
(Kort). [(Libellules) : 420-426]**

Classes Insectorum sunt octo.

Os maxillis palpisque

quatuor aut sex.

Maxilla nuda, libera. **ELEVTERATA.**

Maxilla tecta, galea

obtusa. - - **VOLONATA.**

Maxilla connata

cum labio - - **SYNISTATA.**

Maxilla inferiore nulla. **AGONATA.**

Os maxillis palpisque

duobus. Maxilla in-

feriore

PROLEGOMENA.

feriore saepius un-

guiculata. - - **VNOGATA.**

Os palpis linguaque

spirali. - - **GLOSSATA.**

Os rostro: vagina ar-

ticulata - - **RYNGOTA.**

Os haustello: vagina

inarticulata. - **ANTLIATA.**

130. LIBELLULA. *Labium* trifidum, lacinia dorsali minutissima.

4 maculata.

1. L. alis posticis basi omnibusque medio antico macula nigricante, abdomine depresso, tomentoso.

Libellula 4 maculata alis posticis basi omnibusque medio antico macula nigricante. *Linn. Syst. Nat.* 11. 901. 1. *Fn. Sv.* 1459.

Libellula alis macula duplici marginali. *Geoff. Inf.* 2. 224. 6.

Libellula maxima, abdomine brevior latioreque flavo. *Raj. Inf.* 49. 4.

Reaum. Inf. 6. tab. 35. fig. 1. 2.

Habitat in Europa.

depressa.

2. L. alis omnibus basi nigricantibus, abdomine depresso, lateribus flavescente.

Libellula depressa alis omnibus basi nigricantibus, thorace lineis duabus flavis, abdomine lanceolato, lateribus flavescente. *Linn. Syst. Nat.* 11. 902. 5. *Fn. Sv.* 1413.

Libellula thorace viridi, nitido, lineis flavis, alis albis, abdomine nigro-coerulescente. *Geoff. Inf.* 2. 226. 9.

Libellula maxima, abdomine brevior latioreque coeruleo. *Raj. Inf.* 49. 5.

Reaum. Inf. 6. tab. 35. fig. 1.

Roes. Inf. 2. *aqu.* tab. 6. fig. 4.

— — tab. 7. fig. 3.

Edw. Av. tab. 333.

Habitat ad Europae aquas.

3. L.

3. L. alis hyalinis: macula baseos fasciisque duabus fuscis. *bifasciata.*

Habitat in America. *Mus. Dom. Banks.*

Statura et magnitudo praecedentis. Thorax villosus, fuscus, lineolis duabus flavis sub alis. Abdomen depresso, fuscum, lateribus flavescens. Alae hyalinae, basi macula oblonga, nigra, in qua lineola albicans: fascia in medio abbreviata, et alia apicis, fuscis.

4. L. alis basi luteis. *Linn. Syst. Nat. II. 901. 2. Fn. flaveola.*

Sv. 1460.

Libellula alis albis, basi luteis, abdomine lutescente.

Geoff. Inf. 2. 225. 7.

Schaeff. Inf. tab. 4. fig. 1.

Habitat in Europa.

Variat rarius alis absque macula lutea.

5. L. flavescens, alis macula apiceque fuscis: stigmatate *stigmati-*
niveo. *zans.*

Habitat in nova Hollandia. *Mus. Bankianum.*

Statura omnino praecedentis. Corpus totum flavescens, abdomine nigro, lineato. Alae aqueae, macula fusca in medio marginis exterioris. Pone maculam stigma marginis crassioris niveum. Apex alae fuscus. Pedes flavescens, apice nigri.

6. L. flavescens, alis anticis apice, posticis margine *oculata.*
aqueis: stigmatate niveo.

Habitat in nova Hollandia. *Mus. Bankianum.*

Praecedenti nimis affinis, cujus forte mera varietas.

Alae anticae flavescens usque ad stigma marginis crassioris niveum, tunc aqueae: posticae flavescens, margine postico aequo.

7. L. alis albis, fronte elevata, vesiculosa, thoraceque *vesiculosa.*
flavis, immaculatis.

Habitat in America.

Major. Frons elevata, vesiculosa, subpellucida. Oculi testacei. Thorax flavus, immaculatus. Abdomen cylindricum, segmentis basi obscure pallidis, apice nigris. Cauda foliolis cylindricis.

- rubicunda.* 8. L. alis tantum posticis basi nigricantibus, corpore testaceo. *Linn. Syst. Nat.* 11. 902. 4. *Fn. Sv.* 1462.
Roef. Inf. 2. *aqu.* 2. tab. 7. fig. 4.
Raj. Inf. 50. 8.
 Habitat in Europa.
- vulgatissima.* 9. L. thorace flavo, striis octo nigris. *Linn. Syst. Nat.* 11. 502. 6. *Fn. Sv.* 1464.
 Libellula lateribus flavis, alis albis. *Geoff. Inf.* 2. 227. 11.
Roef. Inf. 2. *aqu.* 2. tab. 5. fig. 3.
 Habitat in Europa.
- obscura.* 10. L. alis totis ferrugineis, corpore obscuro.
 Habitat in America. *D. Lewin.*
 Statura et magnitudo L. flaveolae. Corpus totum ferrugineo-fuscum. Abdomen cylindricum. Alae ferrugineae, puncto marginali oblongo, fusco.
- vulgata.* 11. L. alis hyalinis, immaculatis, abdomine cylindrico, rufo.
 Libellula vulgata alis hyalinis, corpore griseo, cauda simplici. *Linn. Syst. Nat.* 11. 901. 3. *Fn. Sv.* 1461.
Roef. Inf. 2. *aqu.* 2. tab. 8.
 Habitat in Europa.
- cancellata.* 12. L. alis basi immaculatis, abdomine, dorso lateribusque interrupte luteis. *Linn. Syst. Nat.* 11. 902. 7. *Fn. Sv.* 1465.
 Habitat in Europa.
- fasciata.* 13. L. alis planis, fuscis; striga alba.
 Libellula fasciata alis planis, fuscis; fascia lineari alba.
Linn. Syst. Nat. 11. 903. 12.
Edw. Av. 174. tab. 174.
 Habitat in India.
- umbrata.* 14. L. alis planis, albis; fascia atra. *Linn. Syst. Nat.* 11. 903. 13.
 Habitat in America meridionali.
- dimidiata.* 15. L. alis planis, a basi ad medium nigris. *Linn. Syst. Nat.* 11. 903. 14.
Seb. Mus. 4. tab. 78. fig. 7. 8.
 — — tab. 86. fig. 19.
 Habitat in America.

16. L. alis anticis testaceo-obsoletis; posticis viridibus, *chinensis*.
apice fuscis. *Linn. Syst. Nat.* 11. 904. 15.

Edw. Av. 112. tab. 112.

Habitat in China.

17. L. alis planis, albis: maculis tribus atris tribus-*versicolor*.
que cinereis.

Habitat in America. *Mus. D. Hunter*.

Magna. Caput fuscum, flavo maculatum. Thorax fuscus, lineis utrinque duabus sub alis flavis. Abdomen fuscum. Alae albae, macula magna oblonga baseos atra et alia cinerea ad marginem tenuiorem. Maculae duae reliquae atrae et cinereae alternae, macula atra alam terminante.

18. L. alis purpurascens: fascia alba, anticis apice *americana*.
albis; posticis linea baseos alba. *Linn. Syst. Nat.* 11. *na*.
904. 16.

Habitat in India.

Corpus viride.

19. L. alis albis, corpore ferrugineo, ore puncto utrin-*ferrugi-*
que flavo. *nea*.

Habitat in America.

Statura L. umbratae. Corpus totum ferrugineum, puncto flavo utrinque ad os.

20. L. alis albis, corpore tomentoso, fusco viridique *tomentosa*.
variegato.

Habitat in America.

Parva. Frons cyanea. Thorax tomentosus, fuscus, viridi maculatus. Abdomen nigrum, cylindricum, segmentis apice utrinque puncto virescente.

21. L. alis hyalinis, thorace viridi-aeneo. *Linn. Syst. aenea*.
Nat. 11. 902. 8. *Fn. Sv.* 1466.

Libellula viridi-inaurata, alis pallidis, pedibus nigris.

Geoff. Inf. 2. 226. 10.

Raj. Inf. 49. 5.

Roef. Inf. 2. *aqu.* 2. tab. 5. fig. 2.

Habitat in Europa.

- cyanea.* 22. L. alis albis: stigmatate niveo, nigro terminato, corpore cyaneo.
Habitat in America. *Lewin.*
Corpus totum cyaneum, abdomine cylindrico. Alae omnes albae, macula parva nigra ad basin et majori marginali nivea versus apicem, quae puncto fusco terminatur.
- carolina.* 23. L. alis albis: posticis basi dentata, ferrugineis, corpore fusco.
Libellula carolina alis patentibus, hyalinis: posticis basi tota late ferruginea. *Linn. Syst. Nat.* II. 504. 17?
Am. acad. 6. 411. 85?
Libellula carolina. *Drury Inf.* I. tab. 48. fig. 1.
Habitat in America.
- capensis.* 24. L. alis patentibus, albidis, fusco undique maculatis punctatisque. *Linn. Syst. Nat.* II. 904. 19.
Seb. Mus. 4. tab. 86. fig. 17.
Habitat ad Cap. B. Spei.

131. AESHNA. *Labium* trifidum: laciniis aequalibus; lateralibus apice fissis.

- forcipata.* 1. A. thorace nigro, characteribus variis flavescens, cauda unguiculata.
Libellula forcipata. *Linn. Syst. Nat.* II. 903. II. *Fn. Sv.* 1469.
Libellula thorace luteo, virescente, lineis nigris, abdomine nigricante, characteribus flavis. *Geoff. Inf.* 2. 228. 13.
Petiv. Mus. 84. n. 819.
Reaum. Inf. 4. tab. 10. fig. 4.
— — 6. tab. 35. fig. 5.
Habitat in Europa.
- grandis.* 2. A. thorace lineis quatuor flavis, corpore variegato.
Libellula grandis alis glaucescentibus, thoracis lineis quatuor flavis. *Linn. Syst. Nat.* II. 903. 9. *Fn. Sv.* 1467.

Libellula fulva, alis flavescentibus, thoracis lateribus lineis duabus flavis, fronte flavescente, cauda diphylla. *Geoff. Inf.* 2. 227. 12.

Libella maxima, vulgatissima, alis argenteis. *Raj. Inf.* 48. 1.

Aët. Nidv. 3. p. 412. tab. 6. fig. 9.

Reaum. Inf. 6. tab. 35. fig. 3.

Roef. Inf. 2. *aqu.* 2. tab. 4. fig. 14.

Schaeff. Icon. tab. 2. fig. 4.

Habitat in Europa.

Colores corporis pulcre variegati vita pereunt.

3. A. thorace lineis utrinque duabus flavis, alis basi *variegata*.
macula alba.

Habitat in Terra del Fuego. *Mus. Bankianum.*

Statura A. grandis. Caput fuscum, ore flavescente, puncto baseos nigro. Thorax flavescentis, lateribus sub alis fuscis, lineis duabus flavis. Abdomen cylindricum, ferrugineum, segmentorum marginibus nigris. Macula alba, linea nigra divisa, utrinque in singulo segmento. Alae albae, macula parva alba ad marginem tenuiorem baseos. Macula ordinaria, fusca versus apicem.

4. A. abdomine clavato: basi gibbo, corpore fusco viridique *clavata*.
variegato.

Habitat in China. *Drury.*

Caput vesiculosum, viride. Thorax viridis, nigrolineatus. Abdomen elongatum basi, imprimis subtus gibbum, viride, strigis nigris, medio attenuatum, nigrum, maculis lateralibus flavis, apice incrassatum, atrum, ano albo. Alae albae, puncto marginali fusco. Pedes nigri.

132. AGRION. *Labium quadrifidum.*

1. A. alis erectis, coloratis.

virgo.

Libellula Virgo. *Linn. Syst. N.* 11. 904. 20. *Fn. Sv.* 1470.

- a. Libellula corpore viridi-coeruleo, nitido, alis medio coeruleo-fulvis: basi et apice albis, margine immaculato. *Geoff. Inf.* 2. 221. 1.

Roef. Inf. 2. *aqu.* 2. tab. 9. fig. 7.

Raj. Inf. 50. n. 11.

Schaeff. Elem. tab. 78. fig. 1.

β. Libellula corpore sericeo, nitido, alis viridi-coerulescentibus, apice fuscis, margine immaculatis. *Linn. Fn. Sv.* 1. 757.

Raj. Inf. 50. n. 10.

Reaum. Inf. 6. tab. 35. fig. 7.

Leuwenb. arc. 19. tab. 19.

γ. Libellula viridi-sericea, alis subfuscis, puncto marginali albo. *Geoff. Inf.* 2. 122. 2. *Fn. Sv.* 1. 758.

Roef. Inf. 2. *aqu.* 2. tab. 9. fig. 6.

Raj. Inf. 51. n. 12.

δ. Libellula corpore sericeo, nitido, alis inaurato-fuscis: macula nigra. *Linn. Fn. Sv.* 1. 759.

Mouff. Inf. 68. fig. 1. 3.

Roef. Inf. 2. *aqu.* 2. tab. 9. fig. 5.

Raj. Inf. 50. n. 9.

Habitat in Europae fluviis frequens.

puella. 2. A. alis erectis, hyalinis.

Libellula Puella. *Linn. Syst. Nat.* 11. 905. 21. *Fn. Sv.* 1471.

α. Libellula corpore coeruleo cinereoque alterno, alis puncto marginali nigro. *Geoff. Inf.* 2. 222. 3.

Raj. Inf. 51. n. 15.

Reaum. Inf. 6. tab. 40.

Roef. Inf. 2. *aquat.* 2. tab. 10. fig. 3. 4.

Sultz. Inf. tab. 17. fig. 102.

β. Libellula corpore infra coeruleo-viridi, supra fusco, thorace fasciis fuscis coerulescentibusque alternis, puncto alarum marginali nigro. *Geoff. Inf.* 2. 223. 4.

Roef. Inf. 2. *aqu.* 2. tab. 11. fig. 7.

γ. Libellula corpore viridi, pallide incarnato, thorace fasciis tribus longitudinalibus nigris, alis puncto marginali fusco. *Geoff. Inf.* 2. 224. 5.

Habitat in pratis Europae paludosis, victitans rapina muscarum.

Varietates harum specierum fere innumerae, at copula junguntur, ideoque haud distinctae.

Jo. Christ. Fabricii systema entomologiae,
sistens insectorum classes, ordines, genera,
species, ad...

by: Fabricius, Johann Christian
Flensburgi; 1775

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept these Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact:

Niedersaechsische Staats- und Universitaetsbibliothek

Digitalisierungszentrum

37070 Goettingen

Germany

Email: gdz@www.sub.uni-goettingen.de